

*A. Y. Kernaleguen B.Sc., D.V.M.  
J. L. Wilson B.S.A, D.V.M*

Box 268  
Stoughton, SK  
S0G 4T0

## **Dog Vaccine Protocol**

### **DA<sub>2</sub>PP+/-C- Distemper, Adenovirus-2, Parainfluenza, Parvovirus, +/- Coronavirus**

- Puppies born to mothers NOT PROPERLY vaccinated
  - Initial vaccine at 7 weeks of age, boosters at 11 and 15 weeks
  - Then yearly
- Puppies born to mothers PROPERLY vaccinated
  - Initial vaccine at 8 weeks of age, boosters at 12 and 16 weeks
  - Then yearly

### **Rabies**

- Initial puppy vaccine at 12 weeks, then 1 year later, and then every 3 years
- Yet dogs at risk (farm dogs, field dogs, etc) should have the vaccine yearly

### **Bordatella (Kennel Cough) - Oral**

- Can be given as early as 8 weeks of age, and then yearly.

## **Cat Vaccine Protocol**

### **FVRCP – Feline viral rhinotracheitis (Herpes), Calici, Panleukopenia**

- Kittens born to mothers NOT PROPERLY vaccinated
  - Initial vaccine at 7 weeks of age, boosters at 11 and 15 weeks
  - Then yearly
- Kittens born to mothers PROPERLY vaccinated
  - Initial vaccine at 8 weeks of age, boosters at 12 and 16 weeks
  - Then yearly

### **Rabies**

- Initial kitten vaccine at 12 weeks, then 1 year later, and then every 3 years